

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| - | 232 | 703/20 and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 10:40 |
| - | 211 | 703/20 and (memory address bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 10:41 |
| - | 176 | 703/20 and (address bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 10:41 |
| - | 97 | 703/20 and (address and bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 10:41 |
| - | 95 | 703/20 and (memory and address and bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 10:42 |
| - | 56 | 703/20 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 12:23 |
| - | 109 | 703/21 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 12:51 |
| - | 108 | 703/22 and (memory and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 12:55 |
| - | 54 | 703/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:15 |
| - | 6 | 711/210 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:01 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 139 | 711/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:18 |
| - | 128 | 711/\$ and (memory adj model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:10 |
| - | 1 | 711/\$ and (memory adj model with error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:20 |
| - | 1 | 711/\$ and (memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:19 |
| - | 1 | 711/\$ and (memory adj model with error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:12 |
| - | 7 | 711/\$ and (memory adj model same error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:19 |
| - | 7 | 711/\$ and (memory adj model same error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 63 | 711/\$ and (memory adj model) and (memory same error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:14 |
| - | 50 | 711/\$ and (memory adj model) and (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:15 |
| - | 2 | 711/\$ and (memory adj model) same (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 9 | 714/33 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:16 |

| | | | | |
|---|----|---|---|---------------------|
| - | 4 | 714/42 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:16 |
| - | 2 | 714/53 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:16 |
| - | 1 | 714/54 and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 99 | 714/\$ and (memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 3 | 714/\$ and (memory adj model) same (memory with error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 9 | 714/\$ and (memory adj model same error) and (address with bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:17 |
| - | 10 | 714/\$ and (memory adj model same error) and memory same (address and bit) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 13:19 |
| - | 1 | 714/\$ and (memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:14 |
| - | 0 | 714/\$ and (lsi and memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:15 |
| - | 0 | (lsi and memory adj model same error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:15 |
| - | 3 | (lsi and memory same model same error same (address and bit)) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:15 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 84 | (!si and memory near model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 14:18 |
| - | 76 | (!si and memory adj model and address and bit and error) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:17 |
| - | 5 | error same memory same address same bit same reversal and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:19 |
| - | 607 | error same memory same address and bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:21 |
| - | 30 | error same memory same address same bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:21 |
| - | 1 | 703/\$ and error same memory same address same bit near (revers\$2 invert\$2) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:22 |
| - | 1 | 703/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:22 |
| - | 1 | 711/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:22 |
| - | 16 | 714/\$ and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:28 |
| - | 0 | 714/\$ and memory near model and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:29 |
| - | 0 | memory near model and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:29 |

| | | | | |
|---|-----|---|---|---------------------|
| - | 0 | memory near model and error same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:29 |
| - | 42 | memory near model and error same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:30 |
| - | 6 | memory near model and error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:32 |
| - | 50 | memory near model and error same memory same bit and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:32 |
| - | 158 | simulat\$4 and error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:33 |
| - | 0 | simulat\$4 same error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:34 |
| - | 7 | simulat\$4 same error same memory same address and bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:33 |
| - | 0 | simulat\$4 with memory and error same memory same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:34 |
| - | 0 | simulat\$4 with memory and error same address same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:34 |
| - | 6 | simulat\$4 with memory and error same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:37 |
| - | 22 | model\$4 with memory and error same bit near (revers\$3 invert\$3) and (@ad<20000911 @rlad<20000911) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/03 16:37 |

| | | | | |
|---|---|-----------|---|---------------------|
| - | 0 | 09/659584 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/03/04 10:14 |
|---|---|-----------|---|---------------------|